

Rancho Naturalista Checklist and nearby sites in the Tuis-Turrialba region of the Talamanca mountains, 1900-4500 ft.

LOCATION CODE

- [ R ] Rancho Naturalista: 2300-3500 ft.
- [ T ] Tuis River Valley: 3000-4500 ft.
- [ C ] C.A.T.I.E./Turrialba: 1900-2300 ft.

ABUNDANCE CODE

- 1 = Should be seen daily, generally a hard species to miss.
- 2 = Should be seen on most days of a visit to that particular habitat.
- 3 = Somewhat less common, but should still be seen. Requires some effort.
- 4 = Species is uncommon or of erratic occurrence. Generally tricky to find.
- 5 = Species is rare, seen annually, but few records per year. You'll need some luck!
- 6 = One or two records only, not to be expected. Confirmation needed.
- \* = No recent records.
- h = Heard considerably more often than seen.
- n = Migrants from North America, mainly present Sept through May.
- s = Migrants from South America, mainly present March through Sept.
- t = Transient migrants, mainly present from March through May and Sept through Nov.
- d = Present mainly in dry season, Dec through March.
- r = Present mainly in rainy season, April through Sept.



**Costa Rica  
Gateway**

"The birding specialists"

Toll free: 1-888-246-8513

[www.costaricagateway.com](http://www.costaricagateway.com)

e-mail:  
crgateway@racsa.co.cr

Costa Rica Gateway  
Sbo-840 P.O. Box 025292  
Miami, FL 33102-5292

Fax: 011-506-433-4925  
CR phone #: 433-8278

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ] R 3h	GREAT TINAMOU	12	6	[ ] R 4	SHORT-TAILED HAWK	16	11
[ ] R 3h	LITTLE TINAMOU	12	17	[ ] R 5t	SWAINSON'S HAWK	17	7
[ ] C 5	LEAST GREBE	7	4	[ ] R 5	ZONE-TAILED HAWK	13	1
[ ] R 5	NEOTROPIC CORMORANT	4	4	[ ] R 5n	RED-TAILED HAWK	17	8
[ ] C 6	ANHINGA	4	3	[ ] R 5	BLACK HAWK-EAGLE	13	9
[ ] R 6	MAGNIFICENT FRIGATEBIRD	1	6	[ ] R 6	ORNATE HAWK-EAGLE	17	11
[ ] C 6	GREEN IBIS	4	10	[ ] R 5	LAUGHING FALCON	15	8
[ ] C 5n	GREAT BLUE HERON	5	6	[ ] R 4h	BARRED FOREST-FALCON	16	5
[ ] C 4	GREAT EGRET	5	14	[ ] R 6n	AMERICAN KESTREL	15	13
[ ] C 3	LITTLE BLUE HERON	5	9	[ ] R 6n	MERLIN	15	15
[ ] C 3	SNOWY EGRET	5	10	[ ] R 6	BAT FALCON	15	14
[ ] R 1d	CATTLE EGRET	5	13	[ ] R 6n	PEREGRINE FALCON	15	5
[ ] C 1	GREEN HERON	6	2	[ ] R 1	GRAY-HEADED CHACHALACA	12	1
[ ] C 2	BLACK-CROWNED NIGHT-HERON	5	4	[ ] R 4	CRESTED GUAN	12	4
[ ] C 5	YELLOW-CROWNED NIGHT-HERON	5	3	[ ] R 6	BLACK GUAN	12	5
[ ] C 1	BOAT-BILLED HERON	5	2	[ ] T 5h	BLACK-BREASTED WOOD-QUAIL	12	10
[ ] T 4	FASCIATED TIGER-HERON	5	15	[ ] R 2	WHITE-THROATED CRAKE	6	9
[ ] C 5n	BLUE-WINGED TEAL	8	5	[ ] C 1	PURPLE GALLINULE	6	15
[ ] C 6n	LESSER SCAUP	7	6	[ ] C 5	COMMON MOORHEN	7	2
[ ] C 6	MASKED DUCK	7	8	[ ] C 5n	AMERICAN COOT	7	1
[ ] R 1	TURKEY VULTURE	13	3	[ ] T 4	SUNBITTERN	6	16
[ ] R 1	BLACK VULTURE	13	4	[ ] C 1	NORTHERN JACANA	6	18
[ ] R 5	KING VULTURE	13	5	[ ] C 6	WILSON'S SNIPE	9	5
[ ] R 5n	OSPREY	17	14	[ ] T 5n	SOLITARY SANDPIPER	11	4
[ ] R 5	GRAY-HEADED KITE	17	3	[ ] T 3n	SPOTTED SANDPIPER	11	8
[ ] R 4	HOOK-BILLED KITE	14	9	[ ] C 6n	LEAST TERN	2	4
[ ] R 3r	SWALLOW-TAILED KITE	15	2	[ ] C 1	ROCK PIGEON	-	-
[ ] C 6	WHITE-TAILED KITE	15	1	[ ] R 5d	BAND-TAILED PIGEON	18	1
[ ] R 4	DOUBLE-TOOTHED KITE	16	1	[ ] R 1	RED-BILLED PIGEON	18	2
[ ] R 6n	MISSISSIPPI KITE	15	3	[ ] R 3h	SHORT-BILLED PIGEON	18	5
[ ] R 6	TINY HAWK	16	2	[ ] T 3d	RUDDY PIGEON	-	-
[ ] R 3n	SHARP-SHINNED HAWK	16	3	[ ] R 3	RUDDY GROUND-DOVE	18	7
[ ] R 5n	COOPER'S HAWK	16	4	[ ] R 6	BLUE GROUND-DOVE	18	6
[ ] R 5	BICOLORED HAWK	16	8	[ ] R 1	WHITE-TIPPED DOVE	18	14
[ ] T 3	BARRED HAWK	17	1	[ ] R 3	GRAY-CHESTED DOVE	18	16
[ ] R 6	WHITE HAWK	17	2	[ ] R 4	PURPLISH-BACKED QUAIL-DOVE	18	21
[ ] T 4	GREAT BLACK-HAWK	13	7	[ ] R 6r	CHIRIQUI QUAIL-DOVE	18	18
[ ] T 6	SOLITARY EAGLE	13	8	[ ] R 5	RUDDY QUAIL-DOVE	18	17
[ ] C 4	ROADSIDE HAWK	16	12	[ ] R 2	CRIMSON-FRONTED PARAKEET	19	10
[ ] R 2n	BROAD-WINGED HAWK	16	13	[ ] R 3	SULPHUR-WINGED PARAKEET	19	12

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ] R 5r	BARRED PARAKEET	19	16	[ ] C 3	GREEN KINGFISHER	27	5
[ ] R 6	RED-FRONTED PARROTLET	19	15	[ ] R 2	BLUE-CROWNED MOTMOT	27	8
[ ] R 3	BROWN-HOODED PARROT	19	9	[ ] R 2	RUFIOUS MOTMOT	27	7
[ ] R 1	WHITE-CROWNED PARROT	19	7	[ ] R 3	BROAD-BILLED MOTMOT	27	9
[ ] R 5t	BLACK-BILLED CUCKOO	21	1	[ ] R 2	RUFIOUS-TAILED JACAMAR	26	12
[ ] R 5t	YELLOW-BILLED CUCKOO	21	2	[ ] T 5	LANCEOLATED MONKLET	28	5
[ ] R 2	SQUIRREL CUCKOO	21	7	[ ] R 6*	WHITE-FRONTED NUNBIRD	28	4
[ ] R 1	GROOVE-BILLED ANI	21	9	[ ] T 2	RED-HEADED BARBET	28	2
[ ] R 4r	STRIPED CUCKOO	21	5	[ ] T 5	PRONG-BILLED BARBET	28	1
[ ] R 6	BARN OWL	20	9	[ ] T 5	BLUE_THROATED (EMERALD) TOUCANET	27	17
[ ] R 2h	MOTTLED OWL	20	6	[ ] R 1	COLLARED ARACARI	27	15
[ ] R 4h	CRESTED OWL	20	3	[ ] R 6d	YELLOW-EARED TOUCANET	27	20
[ ] R 6	SPECTACLED OWL	20	8	[ ] R 1	KEEL-BILLED TOUCAN	27	18
[ ] C 5	FERRUGINOUS PYGMY-OWL	20	17	[ ] T 4	ACORN WOODPECKER	28	15
[ ] T 6	STRIPED OWL	20	2	[ ] R 1	BLACK-CHEEKED WOODPECKER	28	14
[ ] R 5d	COMMON POTOO	20	4	[ ] R 1	HOFFMANN'S WOODPECKER	28	16
[ ] R 4	SHORT-TAILED NIGHTHAWK	21	14	[ ] R 5n	YELLOW-BELLIED SAPSUCKER	28	20
[ ] R 6t	COMMON NIGHTHAWK	21	13	[ ] R 3	SMOKY-BROWN WOODPECKER	28	13
[ ] C 2	LESSER NIGHTHAWK	21	12	[ ] R 3	RUFIOUS-WINGED WOODPECKER	28	10
[ ] R 2h	PAURAQUE	21	18	[ ] R 2	GOLDEN-OLIVE WOODPECKER	28	11
[ ] R 5t	CHUCK-WILL'S-WIDOW	21	16	[ ] R 3	LINEATED WOODPECKER	27	13
[ ] R 6	BLACK SWIFT	22	2	[ ] R 5	PALE-BILLED WOODPECKER	27	14
[ ] R 3	CHESTNUT-COLLARED SWIFT	22	3	[ ] R 2	SLATY SPINETAIL	32	9
[ ] R 2	WHITE-COLLARED SWIFT	22	1	[ ] T 4	RED-FACED SPINETAIL	30	12
[ ] R 3	VAUX'S SWIFT	22	9	[ ] T 3	SPOTTED BARBTAIL	29	5
[ ] C 6	GREATER SWALLOW-TAILED SWIFT	22	6	[ ] R 2	PLAIN XENOPS	29	3
[ ] R 4	LESSER SWALLOW-TAILED SWIFT	22	7	[ ] T 5	STREAKED XENOPS	29	2
[ ] R 5	WHITE-TIPPED SICKLEBILL	23	8	[ ] T 6	SCALY-THROATED FOLIAGE-GLEANER	30	2
[ ] R 5	BAND-TAILED BARBTHROAT	23	5	[ ] R 6*	BUFF-FRONTED FOLIAGE-GLEANER	30	6
[ ] R 1	GREEN HERMIT	23	3	[ ] R 3	BUFF-THROATED FOLIAGE-GLEANER	30	3
[ ] R 6	WESTERN LONG-TAILED HERMIT	23	2	[ ] R 4	TAWNY-THROATED LEAFTOSSER	30	11
[ ] R 1	STRIPE_THROATED (LITTLE) HERMIT	23	1	[ ] R 6*	GRAY-THROATED LEAFTOSSER	30	10
[ ] T 3	GREEN-FRONTED LANCEBILL	23	11	[ ] R 3	PLAIN-BROWN WOODCREEPER	29	11
[ ] R 4	VIOLET SABREWING	23	9	[ ] T 6	RUDDY WOODCREEPER	29	13
[ ] R 1	WHITE-NECKED JACOBIN	23	17	[ ] R 2	OLIVACEOUS WOODCREEPER	29	7
[ ] R 4r	BROWN VIOLET-EAR	23	6	[ ] R 2	WEDGE-BILLED WOODCREEPER	29	6
[ ] R 6r	GREEN VIOLET-EAR	23	7	[ ] T 5	STRONG-BILLED WOODCREEPER	29	18
[ ] R 1	GREEN-BREASTED MANGO	23	13	[ ] R 3	NORTHERN BARRED-WOODCREEPER	29	19
[ ] R 3	VIOLET-HEADED HUMMINGBIRD	25	11	[ ] R 5	COCOA WOODCREEPER	29	17
[ ] R 3	BLACK-CRESTED COQUETTE	25	6	[ ] R 1	SPOTTED WOODCREEPER	29	20
[ ] R 6r	WHITE-CRESTED COQUETTE	25	5	[ ] R 1	STREAK-HEADED WOODCREEPER	29	8
[ ] R 1	GREEN THORNTAIL	25	1	[ ] R 4	BROWN-BILLED SCYTHEBILL	29	14
[ ] R 5	GARDEN EMERALD	24	13	[ ] R 5	FASCIATED ANTSHRIKE	31	1
[ ] R 6r	FIERY-THROATED HUMMINGBIRD	24	12	[ ] R 6*	GREAT ANTSHRIKE	31	2
[ ] R 6	COPPERY-HEADED EMERALD	24	20	[ ] R 4	BARRED ANTSHRIKE	31	3
[ ] T 5	STRIPE-TAILED HUMMINGBIRD	24	17	[ ] C 4	WESTERN SLATY-ANTSHRIKE	31	5
[ ] T 3	BLACK-BELLIED HUMMINGBIRD	24	21	[ ] R 2	RUSSET ANTSHRIKE	31	4
[ ] R 1	VIOLET-CROWNED WOODNYMPH	24	4	[ ] R 2	PLAIN ANTIVIREO	32	6
[ ] R 6r	BLUE-THROATED GOLDENTAIL	24	9	[ ] R 6*	STREAK-CROWNED ANTIVIREO	32	7
[ ] R 1	RUFIOUS-TAILED HUMMINGBIRD	24	10	[ ] R 3	CHECKER-THROATED ANTWREN	32	5
[ ] R 6r	STEELY-VENTED HUMMINGBIRD	24	15	[ ] R 2	SLATY ANTWREN	32	3
[ ] R 1	SNOWCAP	25	8	[ ] R 4	DOT-WINGED ANTWREN	32	1
[ ] R 4	RED-FOOTED PLUMELETEER	23	12	[ ] R 6	RUFIOUS-RUMPED ANTWREN	32	10
[ ] T 3	WHITE-BELLIED MOUNTAIN-GEM	24	5	[ ] R 3	DUSKY ANTIBIRD	31	8
[ ] R 6	PURPLE-THROATED MOUNTAIN-GEM	24	7	[ ] R 6	CHESTNUT-BACKED ANTIBIRD	31	11
[ ] R 1	GREEN-CROWNED BRILLIANT	23	15	[ ] R 3	DULL-MANTLED ANTIBIRD	31	14
[ ] R 2	PURPLE-CROWNED FAIRY	23	14	[ ] R 3	IMMACULATE ANTIBIRD	31	10
[ ] R 5	LONG-BILLED STARTHROAT	23	18	[ ] T 5	BICOLORED ANTIBIRD	31	9
[ ] R 4n	RUBY-THROATED HUMMINGBIRD	25	9	[ ] R 4	SPOTTED ANTIBIRD	31	12
[ ] R 2	VIOLACEOUS TROGON	26	8	[ ] R 6	BLACK-FACED ANTTHRUSH	30	15
[ ] R 2	COLLARED TROGON	26	5	[ ] T 6h	BLACK-HEADED ANTTHRUSH	30	17
[ ] R 3	BLACK-THROATED TROGON	26	9	[ ] R 5	SCALED ANTPITTA	30	20
[ ] C 4n	BELTED KINGFISHER	27	2	[ ] R 4h	THICKET ANTPITTA	30	14
[ ] T 4	RINGED KINGFISHER	27	1	[ ] R 6	OCHRE-BREASTED ANTPITTA	30	13
[ ] T 4	AMAZON KINGFISHER	27	4	[ ] T 5h	SILVERY-FRONTED TAPACULO	32	12

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ] R 6*	RUFIOUS PIHA	34	10	[ ] R 3	BLUE-AND-WHITE SWALLOW	22	20
[ ] R 6	LOVELY COTINGA	34	6	[ ] R 2n	NORTHERN ROUGH-WINGED SWALLOW	22	18
[ ] R 1	WHITE-COLLARED MANAKIN	33	1	[ ] R 2	SOUTHERN ROUGH-WINGED SWALLOW	22	19
[ ] R 2	WHITE-RUFFED MANAKIN	33	9	[ ] R 6t	BANK SWALLOW	22	17
[ ] R 3	WHITE-CROWNED MANAKIN	33	8	[ ] R 5t	CLIFF SWALLOW	22	13
[ ] R 5	GRAY-HEADED PIPRITES	33	3	[ ] R 4n	BARN SWALLOW	22	12
[ ] R 6	GREENISH ELAENIA	37	21	[ ] R 6n	CEDAR WAXWING	39	14
[ ] R 1	YELLOW-BELLIED ELAENIA	37	26	[ ] T 3	AMERICAN DIPPER	39	11
[ ] R 6	LESSER ELAENIA	37	25	[ ] R 4	BAND-BACKED WREN	38	3
[ ] R 4d	MOUNTAIN ELAENIA	37	24	[ ] R 3h	BLACK-THROATED WREN	38	13
[ ] T 2	TORRENT TYRANNULET	36	1	[ ] R 4	BAY WREN	38	12
[ ] R 2	OCHRE-BELLIED FLYCATCHER	36	25	[ ] R 2	STRIPE-BREASTED WREN	38	5
[ ] R 2	OLIVE-STRIPED FLYCATCHER	36	24	[ ] R 2h	PLAIN WREN	38	17
[ ] R 6	SEPIA-CAPPED FLYCATCHER	36	27	[ ] R 1	HOUSE WREN	38	18
[ ] R 3	SLATY-CAPPED FLYCATCHER	36	26	[ ] T 3	OCHRACEOUS WREN	38	19
[ ] T 4	RUFIOUS-BROWED TYRANNULET	37	12	[ ] R 1h	WHITE-BREASTED WOOD-WREN	38	15
[ ] T 5	WHITE-FRONTED TYRANNULET	37	18	[ ] T 3h	GRAY-BREASTED WOOD-WREN	38	14
[ ] R 1	PALTRY TYRANNULET	37	10	[ ] R 5h	SOUTHERN NIGHTINGALE-WREN	38	20
[ ] R 2	SCALE-CRESTED PYGMY-TYRANT	37	4	[ ] R 6*	SONG WREN	38	22
[ ] R 2h	BLACK-HEADED TODY-FLYCATCHER	37	8	[ ] R 4n	GRAY CATBIRD	39	12
[ ] R 1	COMMON TODY-FLYCATCHER	37	7	[ ] R 5d	BLACK-FACED SOLITAIRE	39	13
[ ] R 4	EYE-RINGED FLATBILL	37	23	[ ] R 5r	ORANGE-BILLED NIGHTINGALE-THRUSH	38	26
[ ] R 1	YELLOW-OLIVE FLYCATCHER	37	16	[ ] T 4h	SLATY-BACKED NIGHTINGALE-THRUSH	38	23
[ ] T 5	YELLOW-MARGINED FLYCATCHER	37	17	[ ] R 3h	BLACK-HEADED NIGHTINGALE-THRUSH	38	25
[ ] R 4	WHITE-THROATED SPADEBILL	37	1	[ ] R 6t	VEERY	39	3
[ ] R 4	RUDDY-TAILED FLYCATCHER	36	23	[ ] R 5t	GRAY-CHEEKED THRUSH	39	1
[ ] R 3	SULPHUR-RUMPED FLYCATCHER	36	21	[ ] R 2n	SWAINSON'S THRUSH	39	2
[ ] R 2	TAWNY-CHESTED FLYCATCHER	36	10	[ ] R 3n	WOOD THRUSH	39	4
[ ] T 3	TUFTED FLYCATCHER	36	11	[ ] R 6d	MOUNTAIN THRUSH	39	6
[ ] R 4n	OLIVE-SIDED FLYCATCHER	36	4	[ ] R 5d	PALE-VENTED THRUSH	39	5
[ ] T 5	DARK PEWEE	36	2	[ ] R 1	CLAY-COLORED THRUSH	39	8
[ ] R 3n	EASTERN WOOD-PEWEE	36	8	[ ] T 6	WHITE-THROATED THRUSH	39	9
[ ] R 1	TROPICAL PEWEE	36	9	[ ] R 6*	TAWNY-FACED GNATWREN	32	14
[ ] R 1n	YELLOW-BELLIED FLYCATCHER	36	20	[ ] R 2	LONG-BILLED GNATWREN	32	15
[ ] R 4t	ACADIAN FLYCATCHER	36	12	[ ] R 2	TROPICAL GNATCATCHER	41	2
[ ] R 4t	ALDER FLYCATCHER	36	14	[ ] R 1	BROWN JAY	39	19
[ ] R 4t	WILLOW FLYCATCHER	36	14	[ ] T 6	AZURE-HOODED JAY	39	17
[ ] R 5	WHITE-THROATED FLYCATCHER	36	13	[ ] R 6	WHITE-EYED VIREO	40	12
[ ] R 5n	LEAST FLYCATCHER	36	15	[ ] R 1n	YELLOW-THROATED VIREO	40	6
[ ] T 3	BLACK PHOEBE	36	5	[ ] R 3n	PHILADELPHIA VIREO	40	15
[ ] R 6	LONG-TAILED TYRANT	36	6	[ ] R 2t	RED-EYED VIREO	40	3
[ ] R 4d	BRIGHT-RUMPED ATTILA	35	6	[ ] R 3s	YELLOW-GREEN VIREO	40	5
[ ] R 3	RUFIOUS MOURNER	34	9	[ ] R 3h	TAWNY-CROWNED GREENLET	32	4
[ ] R 1	DUSKY-CAPPED FLYCATCHER	35	21	[ ] R 2	LESSER GREENLET	40	7
[ ] R 5n	GREAT CRESTED FLYCATCHER	35	17	[ ] R 5h	GREEN SHRIKE-VIREO	40	1
[ ] R 1	GREAT KISKADEE	35	13	[ ] T 6	RUFIOUS-BROWED PEPPERSHRIKE	40	2
[ ] R 2	BOAT-BILLED FLYCATCHER	35	12	[ ] R 4n	BLUE-WINGED WARBLER	41	6
[ ] R 1	SOCIAL FLYCATCHER	35	14	[ ] R 2n	GOLDEN-WINGED WARBLER	41	5
[ ] R 2	GRAY-CAPPED FLYCATCHER	35	15	[ ] R 6n	"BREWSTER'S" WARBLER	-	-
[ ] T 3	GOLDEN-BELLIED FLYCATCHER	35	9	[ ] R 1n	TENNESSEE WARBLER	40	22
[ ] R 2s	SULPHUR-BELLIED FLYCATCHER	35	10	[ ] R 6n	NASHVILLE WARBLER	52	3
[ ] R 2s	PIRATIC FLYCATCHER	35	8	[ ] R 2	TROPICAL PARULA	41	3
[ ] R 1	TROPICAL KINGBIRD	35	1	[ ] R 5n	YELLOW WARBLER	42	2
[ ] R 4t	EASTERN KINGBIRD	35	3	[ ] R 1n	CHESTNUT-SIDED WARBLER	43	4
[ ] R 4h	THRUSHLIKE SCHIFFORNIS	33	10	[ ] R 6n	MAGNOLIA WARBLER	43	10
[ ] T 6	BARRED BECARD	33	14	[ ] R 5n	YELLOW-RUMPED WARBLER	43	11
[ ] R 1	CINNAMON BECARD	33	11	[ ] R 4n	BLACK-THROATED GREEN WARBLER	43	9
[ ] R 4	WHITE-WINGED BECARD	33	13	[ ] R 2n	BLACKBURNIAN WARBLER	41	8
[ ] R 5d	BLACK-AND-WHITE BECARD	33	15	[ ] R 3t	BAY-BREASTED WARBLER	41	9
[ ] R 6	ROSE-THROATED BECARD	33	12	[ ] R 4t	CERULEAN WARBLER	43	2
[ ] R 1	MASKED TITYRA	34	1	[ ] R 2n	BLACK-AND-WHITE WARBLER	41	13
[ ] R 2	BLACK-CROWNED TITYRA	34	2	[ ] R 2n	AMERICAN REDSTART	41	10
[ ] T 5	SHARPBILL	34	7	[ ] C 2n	PROTHONOTARY WARBLER	42	1
[ ] C 2	GRAY-BREASTED MARTIN	22	15	[ ] R 3n	WORM-EATING WARBLER	40	21
[ ] C 2	MANGROVE SWALLOW	22	23	[ ] R 4n	OVENBIRD	43	12

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ]	T 3n LOUISIANA WATERTHRUSH	43	13	[ ]	R 6 BLUE-BLACK GROSBEAK	48	10
[ ]	R 3n KENTUCKY WARBLER	42	15	[ ]	R 5n INDIGO BUNTING	48	12
[ ]	R 2n MOURNING WARBLER	42	14	[ ]	C 6 RED-BREASTED BLACKBIRD	44	13
[ ]	R 6 OLIVE-CROWNED YELLOWTHROAT	42	11	[ ]	R 5 EASTERN MEADOWLARK	50	16
[ ]	R 4 GRAY-CROWNED YELLOWTHROAT	42	13	[ ]	R 5 MELODIOUS BLACKBIRD	52	6
[ ]	R 6n HOODED WARBLER	42	5	[ ]	C 1 GREAT-TAILED GRACKLE	44	16
[ ]	R 1n WILSON'S WARBLER	42	4	[ ]	R 2r BRONZED COWBIRD	44	15
[ ]	R 2t CANADA WARBLER	42	8	[ ]	R 4 GIANT COWBIRD	44	10
[ ]	R 1 SLATE-THROATED REDSTART	42	7	[ ]	R 1n BALTIMORE ORIOLE	44	7
[ ]	R 1 GOLDEN-CROWNED WARBLER	40	18	[ ]	R 5n ORCHARD ORIOLE	44	6
[ ]	R 2 RUFOUS-CAPPED WARBLER	40	16	[ ]	R 3 BLACK-COWLED ORIOLE	44	5
[ ]	T 3 BUFF-RUMPED WARBLER	40	23	[ ]	R 3h YELLOW-BILLED CACIQUE	44	12
[ ]	R 1 BANANAQUIT	40	24	[ ]	R 3 SCARLET-RUMPED CACIQUE	44	11
[ ]	T 3 COMMON BUSH-TANAGER	45	13	[ ]	R 2 CHESTNUT-HEADED OROPENDOLA	44	9
[ ]	R 4 ASHY-THROATED BUSH-TANAGER	45	12	[ ]	R 1 MONTEZUMA OROPENDOLA	44	8
[ ]	R 4 BLACK-AND-YELLOW TANAGER	46	14	[ ]	C 2 HOUSE SPARROW	50	17
[ ]	R 2 OLIVE TANAGER	45	16	SILENT MOUNTAIN HIKE ADD-ONS: 4000-5000 ft.			
[ ]	R 3 WHITE-SHOULDERED TANAGER	46	18	[ ]	S 3 COSTA RICAN PYGMY-OWL	20	18
[ ]	T 4 TAWNY-CRESTED TANAGER	46	17	[ ]	S 3 RESPLENDENT QUETZAL	26	1
[ ]	R 1 WHITE-LINED TANAGER	46	16	[ ]	S 4 HAIRY WOODPECKER	28	19
[ ]	R 2 RED-THROATED ANT-TANAGER	47	12	[ ]	S 2 RUDDY TREERUNNER	29	4
[ ]	T 4 HEPATIC TANAGER	47	6	[ ]	S 4 BUFFY TUFTEDCHEEK	30	1
[ ]	R 2t SCARLET TANAGER	47	8	[ ]	S 3 LINEATED FOLIAGE-GLEANER	30	8
[ ]	R 1n SUMMER TANAGER	47	5	[ ]	S 4 BLACK-BANDED WOODCREEPER	29	15
[ ]	R 6n WESTERN TANAGER	47	2	[ ]	S 4h RUFOUS-BREASTED ANTTHRUSH	30	16
[ ]	R 6 WHITE-WINGED TANAGER	47	7	[ ]	S 2 YELLOWISH FLYCATCHER	36	19
[ ]	R 2 CRIMSON-COLLARED TANAGER	47	3	[ ]	S 5 BLACK-AND-YELLOW SILKY-FLYCAT...	39	10
[ ]	R 1 PASSERINI'S TANAGER	47	4	[ ]	S 4 ZELEDONIA (WRENTHRUSH)	32	13
[ ]	R 1 BLUE-GRAY TANAGER	46	15	[ ]	S 3 SLATY FLOWER-PIERCER	49	9
[ ]	R 1 PALM TANAGER	45	19	[ ]	S 4 YELLOW-BELLIED SISKIN	50	1
[ ]	C 3 YELLOW-CROWNED EUPHONIA	45	1	SILENT MOUNTAIN CHANGE IN SPECIE STATUS			
[ ]	C 3 YELLOW-THROATED EUPHONIA	45	5	[ ]	S 2 BLACK GUAN	12	5
[ ]	R 6 ELEGANT EUPHONIA	45	9	[ ]	S 3 BLACK-BELLIED HUMMINGBIRD	24	21
[ ]	R 3 OLIVE-BACKED EUPHONIA	45	3	[ ]	S 2 WHITE-BELLIED MOUNTAIN-GEM	24	5
[ ]	R 4 WHITE-VENTED EUPHONIA	45	7	[ ]	S 3 PURPLE-THROATED MOUNTAIN-GEM	24	7
[ ]	R 2 TAWNY-CAPPED EUPHONIA	45	6	[ ]	S 4 RED-FRONTED PARROTLET	19	15
[ ]	R 4d GOLDEN-BROWED CHLOROPHONIA	45	10	[ ]	S 3h PRONG-BILLED BARBET	28	1
[ ]	R 4 EMERALD TANAGER	46	5	[ ]	S 2 BLUE-THROATED (EMERALD) TOUCANET	27	17
[ ]	R 2 SILVER-THROATED TANAGER	46	6	[ ]	S 2 ACORN WOODPECKER	28	15
[ ]	R 3 SPECKLED TANAGER	46	8	[ ]	S 4 SCALY-THROATED FOLIAGE-GLEANER	30	2
[ ]	R 2 BAY-HEADED TANAGER	46	9	[ ]	S 4 STRONG-BILLED WOODCREEPER	29	18
[ ]	R 1 GOLDEN-HOODED TANAGER	46	13	[ ]	S 3h SILVERY-FRONTED TAPACULO	32	12
[ ]	T 3 SPANGLE-CHEEKED TANAGER	46	12	[ ]	S 4 LOVELY COTINGA	34	6
[ ]	R 4 SCARLET-THIGHED DACNIS	46	4	[ ]	S 3 RUFOUS-RUMPED ANTWREN	32	10
[ ]	R 3 GREEN HONEYCREEPER	46	7	[ ]	S 2 DARK PEWEE	36	2
[ ]	R 6 SHINING HONEYCREEPER	46	1	[ ]	S 3 BARRED BECARD	33	14
[ ]	R 2r BLUE-BLACK GRASSQUIT	49	7	[ ]	S 3h SHARPBILL	34	7
[ ]	R 1 VARIABLE SEEDEATER	49	3	[ ]	S 2 MOUNTAIN THRUSH	39	6
[ ]	C 4 WHITE-COLLARED SEEDEATER	49	2	[ ]	S 2h BLACK-FACED SOLITAIRE	39	13
[ ]	C 6 YELLOW-BELLIED SEEDEATER	49	4	[ ]	S 3 OLIVE-CROWNED YELLOWTHROAT	42	11
[ ]	R 3 THICK-BILLED SEED-FINCH	49	10	[ ]	S 4 WHITE-WINGED TANAGER	47	7
[ ]	R 1 YELLOW-FACED GRASSQUIT	49	6	[ ]	S 3 ELEGANT EUPHONIA	45	9
[ ]	T 5 SOOTY-FACED FINCH	48	21	[ ]	S 2 SPANGLE-CHEEKED TANAGER	46	12
[ ]	T 4 WHITE-NAPED BRUSH-FINCH	48	15	[ ]	S 3 SOOTY-FACED FINCH	48	21
[ ]	R 3 CHESTNUT-CAPPED BRUSH-FINCH	48	16	[ ]	S 3 WHITE-NAPED BRUSH-FINCH	48	15
[ ]	R 2 ORANGE-BILLED SPARROW	48	17	[ ]	S 3 BLACK-THIGHED GROSBEAK	48	7
[ ]	R 1 BLACK-STRIPED SPARROW	50	14	TOTAL SPECIES : 434 (includes 13 Silent Mountain add-ons)			
[ ]	R 6* PREVOST'S GROUND-SPARROW	48	18	Last updated : June 2005 by Kevin Easley. We would like			
[ ]	R 2 RUFOUS-COLLARED SPARROW	50	13	to thank those who helped compile this list, especially			
[ ]	C 3 GRAYISH SALTATOR	48	3	Steven Easley, Frederic VanHove, Jay Vandergaast and			
[ ]	R 1 BUFF-THROATED SALTATOR	48	2	Matt Denton. We welcome new information on species			
[ ]	R 1 BLACK-HEADED SALTATOR	48	1	not included in this list or about species with abundance			
[ ]	C 4 BLACK-FACED GROSBEAK	48	5	codes 5 or 6. Please send details to Kevin Easley:			
[ ]	R 6r BLACK-THIGHED GROSBEAK	48	7	ticokid@racsa.co.cr			
[ ]	R 2n ROSE-BREASTED GROSBEAK	48	8				

