

**Tarcol Lodge Checklist** and nearby sites in the Carara National Park region of the Central Pacific lowlands, 0-600 ft.

**LOCATION CODE**

- [ A ] Can be found in most if not all areas
- [ T ] Tarcol Lodge and vicinity
- [ C ] Carara National Park
- [ N ] North of the Rio Tarcoles
- [ W ] Road and Waterfall area above Villa Lapas to 600 ft.

**ABUNDANCE CODE**

- 1 = Should be seen daily, generally a hard species to miss.
- 2 = Should be seen on most days of a visit to that particular habitat.
- 3 = Somewhat less common, but should still be seen, requires some effort.
- 4 = Species is uncommon or of erratic occurrence, generally tricky to find.
- 5 = Species is rare, seen annually, but few records per year. You'll need some luck!
- 6 = One or two records only, not to be expected. Confirmation needed.
- \* = No recent records.
- h = Heard considerably more often than seen.

n = Migrants from North America, mainly present September through May.

s = Migrants from South America, mainly present March through September.

t = Transient migrants, mainly present in Mar through May and/or Sept through Nov.

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ] C 3h	GREAT TINAMOU	12	6	[ ] C 3	KING VULTURE	13	5
[ ] C 4h	LITTLE TINAMOU	12	17	[ ] T 1n	OSPREY	17	14
[ ] C 4	LEAST GREBE	7	4	[ ] A 4	GRAY-HEADED KITE	17	3
[ ] C 6n	PIED-BILLED GREBE	7	3	[ ] C 5	HOOK-BILLED KITE	16	9
[ ] T 1	BROWN PELICAN	4	1	[ ] W 4n	SWALLOW-TAILED KITE	15	2
[ ] T 5	BROWN BOOBY	1	1	[ ] T 3	WHITE-TAILED KITE	15	1
[ ] T 1	NEOTROPIC CORMORANT	4	4	[ ] T 5	SNAIL KITE	14	6
[ ] T 2	ANHINGA	4	3	[ ] C 3	DOUBLE-TOOTHED KITE	16	1
[ ] T 1	MAGNIFICENT FRIGATEBIRD	1	6	[ ] T 6t	MISSISSIPPI KITE	15	3
[ ] T 1	GREAT BLUE HERON	5	6	[ ] T 3s	PLUMBEOUS KITE	14	8
[ ] T 1	GREAT EGRET	5	14	[ ] T 5n	SHARP-SHINNED HAWK	16	3
[ ] T 4n	REDDISH EGRET	5	7	[ ] T 4	CRANE HAWK	14	4
[ ] T 1	TRICOLORED HERON	5	8	[ ] W 4	WHITE HAWK	17	2
[ ] T 1	LITTLE BLUE HERON	5	9	[ ] T 2	MANGROVE BLACK-HAWK	13	6
[ ] T 1	SNOWY EGRET	5	10	[ ] N 4	HARRIS'S HAWK	14	5
[ ] A 1	CATTLE EGRET	5	13	[ ] T 6*	BLACK-COLLARED HAWK	17	5
[ ] A 1	GREEN HERON	6	2	[ ] A 3	GRAY HAWK	16	14
[ ] T 5	BLACK-CROWNED NIGHT-HERON	5	4	[ ] T 4	ROADSIDE HAWK	16	12
[ ] T 1	YELLOW-CROWNED NIGHT-HERON	5	3	[ ] A 3n	BROAD-WINGED HAWK	16	13
[ ] T 3	BOAT-BILLED HERON	5	2	[ ] A 3	SHORT-TAILED HAWK	16	11
[ ] T 2	BARE-THROATED TIGER-HERON	5	16	[ ] W 5t	SWAINSON'S HAWK	17	7
[ ] T 5n	LEAST BITTERN	6	3	[ ] A 3	ZONE-TAILED HAWK	13	1
[ ] T 2	WOOD STORK	4	6	[ ] W 5	BLACK HAWK-EAGLE	13	9
[ ] T 1	WHITE IBIS	4	8	[ ] A 2	CRESTED CARACARA	14	12
[ ] T 2	ROSEATE SPOONBILL	4	7	[ ] T 1	YELLOW-HEADED CARACARA	15	9
[ ] T 3	BLACK-BELLIED WHISTLING-DUCK	8	7	[ ] A 3h	LAUGHING FALCON	15	8
[ ] T 4	MUSCOVY DUCK	8	10	[ ] C 6	BARRED FOREST-FALCON	16	5
[ ] T 6n*	AMERICAN WIGEON	8	6	[ ] C 4h	COLLARED FOREST-FALCON	16	7
[ ] T 6n*	NORTHERN PINTAIL	8	1	[ ] T 6n*	AMERICAN KESTREL	15	13
[ ] T 4n	BLUE-WINGED TEAL	8	5	[ ] A 5n	MERLIN	15	15
[ ] T 6n*	LESSER SCAUP	7	6	[ ] A 5	BAT FALCON	15	14
[ ] T 6*	MASKED DUCK	7	8	[ ] A 4n	PEREGRINE FALCON	15	5
[ ] A 1	TURKEY VULTURE	13	3	[ ] W 3	GRAY-HEADED CHACHALACA	12	1
[ ] A 1	BLACK VULTURE	13	4	[ ] C 3	CRESTED GUAN	12	4



**Costa Rica Gateway**

"The birding specialists"

Toll free: 1-888-246-8513

[www.costaricagateway.com](http://www.costaricagateway.com)

e-mail:

[crgateway@racsa.co.cr](mailto:crgateway@racsa.co.cr)

Costa Rica Gateway  
Sbo-840 P.O. Box 025292  
Miami, FL 33102-5292

Fax: 011-506-433-4925  
CR phone #: 433-8278

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ] C 5	GREAT CURASSOW	12	3	[ ] C 3h	SHORT-BILLED PIGEON	18	5
[ ] N 4h	CRESTED BOBWHITE	12	13	[ ] N 5	MOURNING DOVE	18	13
[ ] W 5h	MARBLED WOOD-QUAIL	12	9	[ ] N 1	WHITE-WINGED DOVE	18	12
[ ] T 6	LIMPKIN	5	5	[ ] T 3	COMMON GROUND-DOVE	18	8
[ ] T 5h	WHITE-THROATED CRAKE	6	9	[ ] N 4	PLAIN-BREASTED GROUND-DOVE	18	9
[ ] T 4	RUFIOUS-NECKED WOOD-RAIL	6	14	[ ] A 3	RUDDY GROUND-DOVE	18	7
[ ] C 4h	GRAY-NECKED WOOD-RAIL	6	13	[ ] T 1	INCA DOVE	18	11
[ ] T 5n	SORA	6	12	[ ] A 3	BLUE GROUND-DOVE	18	6
[ ] T 6	YELLOW-BREASTED CRAKE	6	10	[ ] A 1	WHITE-TIPPED DOVE	18	14
[ ] T 3	PURPLE GALLINULE	6	15	[ ] C 3	GRAY-CHESTED DOVE	18	16
[ ] C 6*	COMMON MOORHEN	7	2	[ ] C 3	RUDDY QUAIL-DOVE	18	17
[ ] W 5	SUNBITTERN	6	16	[ ] A 1	SCARLET MACAW	19	1
[ ] T 2	NORTHERN JACANA	6	18	[ ] T 4	CRIMSON-FRONTED PARAKEET	19	10
[ ] T 6	AMERICAN OYSTERCATCHER	9	9	[ ] T 3	ORANGE-FRONTED PARAKEET	19	13
[ ] T 2n	BLACK-NECKED STILT	9	12	[ ] A 2	ORANGE-CHINNED PARAKEET	19	14
[ ] N 4	DOUBLE-STRIPED THICK-KNEE	9	10	[ ] A 3	BROWN-HOODED PARROT	19	9
[ ] T 6	SOUTHERN LAPWING	-	-	[ ] A 3	WHITE-CROWNED PARROT	19	7
[ ] T 5n	AMERICAN GOLDEN PLOVER	9	2	[ ] T 2	WHITE-FRONTED PARROT	19	6
[ ] T 1	BLACK-BELLIED PLOVER	9	1	[ ] A 3	RED-LORED PARROT	19	4
[ ] T 1n	SEMIPALMATED PLOVER	10	5	[ ] T 3	YELLOW-NAPED PARROT	19	5
[ ] T 2	WILSON'S PLOVER	10	2	[ ] C 3	MEALY PARROT	19	3
[ ] T 6*	KILLDEER	10	1	[ ] T 6t	BLACK-BILLED CUCKOO	21	1
[ ] T 6n	SNOWY PLOVER	10	4	[ ] A 5t	YELLOW-BILLED CUCKOO	21	2
[ ] T 4	COLLARED PLOVER	10	3	[ ] T 5	MANGROVE CUCKOO	21	4
[ ] T 3n	SHORT-BILLED DOWITCHER	11	5	[ ] A 2	SQUIRREL CUCKOO	21	7
[ ] T 6n	MARBLED GODWIT	9	8	[ ] A 1	GROOVE-BILLED ANI	21	9
[ ] T 2	WHIMBREL	9	14	[ ] A 4s	STRIPED CUCKOO	21	5
[ ] T 6t	UPLAND SANDPIPER	11	17	[ ] C 4h	LESSER GROUND-CUCKOO	21	11
[ ] T 3n	GREATER YELLOWLEGS	11	2	[ ] T 5	BARN OWL	20	9
[ ] T 3n	LESSER YELLOWLEGS	11	3	[ ] T 3	PACIFIC SCREECH-OWL	20	11
[ ] T 4n	SOLITARY SANDPIPER	11	4	[ ] A 4	BLACK-AND-WHITE OWL	20	7
[ ] A 1n	SPOTTED SANDPIPER	11	8	[ ] A 4	SPECTACLED OWL	20	8
[ ] T 2	WILLET	9	6	[ ] T 2	FERRUGINOUS PYGMY-OWL	20	17
[ ] T 2	RUDDY TURNSTONE	10	6	[ ] T 5	STRIPED OWL	20	2
[ ] T 5n	SURFBIRD	10	7	[ ] T 6*	NORTHERN POTOO	20	4
[ ] T 6n	RED KNOT	11	19	[ ] C 5	SHORT-TAILED NIGHTHAWK	21	14
[ ] T 2	SANDERLING	11	11	[ ] A 2	LESSER NIGHTHAWK	21	12
[ ] T 3n	SEMIPALMATED SANDPIPER	11	13	[ ] A 2h	PAURAUQUE	21	18
[ ] T 2n	WESTERN SANDPIPER	11	12	[ ] T 5n	CHUCK-WILL'S-WIDOW	21	16
[ ] T 2n	LEAST SANDPIPER	11	14	[ ] A 4	CHESTNUT-COLLARED SWIFT	22	3
[ ] T 5t	WHITE-RUMPED SANDPIPER	11	16	[ ] A 2	WHITE-COLLARED SWIFT	22	1
[ ] T 5t	BAIRD'S SANDPIPER	11	15	[ ] A 2	BAND-RUMPED SWIFT	22	11
[ ] T 4n	PECTORAL SANDPIPER	11	7	[ ] T 3t	CHIMNEY SWIFT	22	8
[ ] T 5n	STILT SANDPIPER	11	6	[ ] A 3	LESSER SWALLOW-TAILED SWIFT	22	7
[ ] T 6n	BUFF-BREASTED SANDPIPER	11	18	[ ] C 4	BRONZY HERMIT	23	4
[ ] T 6t	WILSON'S PHALAROPE	10	9	[ ] C 4	BAND-TAILED BARBTHROAT	23	5
[ ] T 6n	RING-BILLED GULL	3	9	[ ] C 3	WESTERN LONG-TAILED HERMIT	23	2
[ ] T 6n	HERRING GULL	3	10	[ ] C 3	STRIPE-THROATED (LITTLE) HERMIT	23	1
[ ] T 2	LAUGHING GULL	3	8	[ ] A 2	SCALY-BREASTED HUMMINGBIRD	23	10
[ ] T 4n	FRANKLIN'S GULL	3	5	[ ] C 4	VIOLET SABREWING	23	9
[ ] T 5n	GULL-BILLED TERN	2	1	[ ] C 4	WHITE-NECKED JACOBIN	23	17
[ ] T 5n	CASPIAN TERN	3	1	[ ] T 3	GREEN-BREASTED MANGO	23	13
[ ] T 4	ELEGANT TERN	3	3	[ ] C 6*	WHITE-CRESTED COQUETTE	25	5
[ ] T 3	SANDWICH TERN	3	4	[ ] W 4	CANIVET'S EMERALD	24	13
[ ] T 2	ROYAL TERN	3	2	[ ] W 3	BLUE-THROATED GOLDENTAIL	24	9
[ ] T 4n	COMMON TERN	2	5	[ ] A 2	RUFIOUS-TAILED HUMMINGBIRD	24	10
[ ] T 6t	FORSTER'S TERN	2	9	[ ] T 4	CINNAMON HUMMINGBIRD	24	11
[ ] T 6t	LEAST TERN	2	4	[ ] C 4	CHARMING HUMMINGBIRD	24	18
[ ] T 6t	BLACK TERN	2	6	[ ] T 4	MANGROVE HUMMINGBIRD	24	2
[ ] T 3n	BLACK SKIMMER	3	11	[ ] A 3	STEELY-VENTED HUMMINGBIRD	24	15
[ ] T 3	ROCK PIGEON	-	-	[ ] C 3	PURPLE-CROWNED FAIRY	22	14
[ ] W 3	BAND-TAILED PIGEON	18	1	[ ] T 5	PLAIN-CAPPED STARTRHOAT	23	19
[ ] T 5	PALE-VENTED PIGEON	18	3	[ ] C 4	LONG-BILLED STARTRHOAT	23	18
[ ] A 2	RED-BILLED PIGEON	18	2	[ ] A 3n	RUBY-THROATED HUMMINGBIRD	25	9

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ] A 2	BLACK-HEADED TROGON	26	1	[ ] W 6	MOUNTAIN ELAENIA	37	24
[ ] C 3	BAIRD'S TROGON	26	6	[ ] C 2	OCHRE-BELLIED FLYCATCHER	36	25
[ ] A 2	VIOLACEOUS TROGON	26	8	[ ] W 5	OLIVE-STRIPED FLYCATCHER	36	24
[ ] C 3	BLACK-THROATED TROGON	26	9	[ ] W 5	PALTRY TYRANNULET	37	10
[ ] C 3	SLATY-TAILED TROGON	26	2	[ ] T 3	NORTHERN SCRUB-FLYCATCHER	37	22
[ ] T 3n	BELTED KINGFISHER	27	2	[ ] C 3	NORTHERN BENTBILL	37	6
[ ] T 2	RINGED KINGFISHER	27	1	[ ] A 3	SLATE-HEADED TODY-TYRANT	37	9
[ ] T 3	AMAZON KINGFISHER	27	4	[ ] A 1	COMMON TODY-FLYCATCHER	37	7
[ ] T 2	GREEN KINGFISHER	27	5	[ ] C 4	EYE-RINGED FLATBILL	37	23
[ ] T 3	AMERICAN PYGMY KINGFISHER	27	6	[ ] A 2	YELLOW-OLIVE FLYCATCHER	37	16
[ ] W 4	BLUE-CROWNED MOTMOT	27	8	[ ] C 4	STUB-TAILED SPADEBILL	37	2
[ ] A 3	TURQUOISE-BROWED MOTMOT	27	11	[ ] C 3	GOLDEN-CROWNED SPADEBILL	37	3
[ ] C 3	RUFIOUS-TAILED JACAMAR	26	12	[ ] C 3	NORTHERN ROYAL FLYCATCHER	35	23
[ ] T 4	WHITE-NECKED PUFFBIRD	28	3	[ ] C 4	RUDDY-TAILED FLYCATCHER	36	23
[ ] C 3	WHITE-WHISKERED PUFFBIRD	28	6	[ ] C 3	SULPHUR-RUMPED FLYCATCHER	36	21
[ ] A 3	FIERY-BILLED ARACARI	27	16	[ ] C 5	BLACK-TAILED FLYCATCHER	36	22
[ ] W 5	KEEL-BILLED TOUCAN	27	18	[ ] A 5n	OLIVE-SIDED FLYCATCHER	36	4
[ ] C 3	CHESTNUT(BLACK)-MANDIBLED TOUCAN	27	19	[ ] A 3n	EASTERN WOOD-PEWEE	36	8
[ ] T 4	OLIVACEOUS PICULET	29	1	[ ] T 2	TROPICAL PEWEE	36	9
[ ] C 3	GOLDEN-NAPED WOODPECKER	28	18	[ ] A 2n	YELLOW-BELLIED FLYCATCHER	36	20
[ ] W 4	RED-CROWNED WOODPECKER	28	17	[ ] C 4t	ACADIAN FLYCATCHER	36	12
[ ] A 1	HOFFMANN'S WOODPECKER	28	16	[ ] T 4t	ALDER FLYCATCHER	36	14
[ ] A 6n	YELLOW-BELLIED SAPSUCKER	28	20	[ ] T 3t	WILLOW FLYCATCHER	36	14
[ ] C 4	RUFIOUS-WINGED WOODPECKER	28	10	[ ] C 5n	LEAST FLYCATCHER	36	15
[ ] A 3	LINEATED WOODPECKER	27	13	[ ] A 3h	BRIGHT-RUMPED ATTILA	35	6
[ ] C 3	PALE-BILLED WOODPECKER	27	14	[ ] C 3	RUFIOUS MOURNER	34	9
[ ] T 5	SLATY SPINETAIL	32	9	[ ] A 2	DUSKY-CAPPED FLYCATCHER	35	21
[ ] C 2	PLAIN XENOPS	29	3	[ ] T 3	PANAMA FLYCATCHER	35	20
[ ] C 3	BUFF-THROATED FOLIAGE-GLEANER	30	3	[ ] N 4	NUTTING'S FLYCATCHER	35	22
[ ] C 6	SCALY-THROATED LEAFTOSSER	30	9	[ ] A 3n	GREAT CRESTED FLYCATCHER	35	17
[ ] C 4	TAWNY-WINGED WOODCREEPER	29	12	[ ] A 3	BROWN-CRESTED FLYCATCHER	35	18
[ ] C 4	LONG-TAILED WOODCREEPER	29	10	[ ] A 1	GREAT KISKADEE	35	13
[ ] C 4	OLIVACEOUS WOODCREEPER	29	7	[ ] A 2	BOAT-BILLED FLYCATCHER	35	12
[ ] C 2	WEDGE-BILLED WOODCREEPER	29	6	[ ] A 2	SOCIAL FLYCATCHER	35	14
[ ] C 3	NORTHERN BARRED-WOODCREEPER	29	19	[ ] W 4	GRAY-CAPPED FLYCATCHER	35	15
[ ] A 2	COCOA WOODCREEPER	29	17	[ ] A 2	STREAKED FLYCATCHER	35	11
[ ] C 4	BLACK-STRIPED WOODCREEPER	29	16	[ ] W 3s	SULPHUR-BELLIED FLYCATCHER	35	10
[ ] A 2	STREAK-HEADED WOODCREEPER	29	8	[ ] A 2s	PIRATIC FLYCATCHER	35	8
[ ] A 5	GREAT ANTSHRIKE	31	2	[ ] A 1	TROPICAL KINGBIRD	35	1
[ ] A 2	BARRED ANTSHRIKE	31	3	[ ] N 6n*	WESTERN KINGBIRD	35	2
[ ] C 1	BLACK-HOODED ANTSHRIKE	31	6	[ ] A 3t	EASTERN KINGBIRD	35	3
[ ] C 4	RUSSET ANTSHRIKE	31	4	[ ] T 3n	SCISSOR-TAILED FLYCATCHER	35	5
[ ] C 4	SLATY ANTWREN	32	3	[ ] C 4h	THRUSHLIKE SCHIFFORNIS	33	10
[ ] C 2	DOT-WINGED ANTWREN	32	1	[ ] A 2	CINNAMON BECARD	33	11
[ ] C 2	DUSKY ANTBIRD	31	8	[ ] C 3	WHITE-WINGED BECARD	33	13
[ ] C 2	CHESTNUT-BACKED ANTBIRD	31	11	[ ] A 2	ROSE-THROATED BECARD	33	12
[ ] C 4	BICOLORED ANTBIRD	31	9	[ ] A 2	MASKED TITYRA	34	1
[ ] C 3	BLACK-FACED ANTHRUSH	30	15	[ ] A 3	BLACK-CROWNED TITYRA	34	2
[ ] C 3	STREAK-CHESTED ANTPITTA	30	18	[ ] A6t	PURPLE MARTIN	22	16
[ ] C 4	RUFIOUS PIHA	34	10	[ ] A 2	GRAY-BREASTED MARTIN	22	15
[ ] C 5	TURQUOISE COTINGA	34	5	[ ] T 1	MANGROVE SWALLOW	22	23
[ ] C 5	YELLOW-BILLED COTINGA	34	3	[ ] W 3	BLUE-AND-WHITE SWALLOW	22	20
[ ] C 5h	THREE-WATTLED BELLBIRD	34	12	[ ] A 1	NORTHERN ROUGH-WINGED SWALLOW	22	18
[ ] C 2	ORANGE-COLLARED MANAKIN	33	2	[ ] A 2	SOUTHERN ROUGH-WINGED SWALLOW	22	19
[ ] W 5	WHITE-RUFFED MANAKIN	33	9	[ ] T 3t	BANK SWALLOW	22	17
[ ] C 4	LONG-TAILED MANAKIN	33	4	[ ] A 3t	CLIFF SWALLOW	22	13
[ ] C 3	BLUE-CROWNED MANAKIN	33	7	[ ] A 1n	BARN SWALLOW	22	12
[ ] C 3	RED-CAPPED MANAKIN	33	6	[ ] T 6	AMERICAN PIPIT	-	-
[ ] C 5	YELLOW-BELLIED TYRANNULET	37	14	[ ] A 1	RUFIOUS-NAPED WREN	38	2
[ ] A 3	SOUTHERN BEARDLESS TYRANNULET	37	20	[ ] C 3h	BLACK-BELLIED WREN	38	11
[ ] A 3	YELLOW TYRANNULET	37	11	[ ] C 2	RUFIOUS-BREASTED WREN	38	8
[ ] C 6	YELLOW-CROWNED TYRANNULET	37	15	[ ] C 2	RIVERSIDE WREN	38	10
[ ] A 3	GREENISH ELAENIA	37	21	[ ] N 4	BANDED WREN	38	6
[ ] A 2	YELLOW-BELLIED ELAENIA	37	26	[ ] C 3	RUFIOUS-AND-WHITE WREN	38	9

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[ ]	A 3h PLAIN WREN	38	17	[ ]	C 3 GREEN HONEYCREEPER	46	7
[ ]	A 2 HOUSE WREN	38	18	[ ]	W 6 SHINING HONEYCREEPER	46	1
[ ]	C 4h SOUTHERN NIGHTINGALE-WREN	38	20	[ ]	A 2 RED-LEGGED HONEYCREEPER	46	2
[ ]	C 6t GRAY-CHEEKED THRUSH	39	1	[ ]	A 1 BLUE-BLACK GRASSQUIT	49	7
[ ]	A 3n SWAINSON'S THRUSH	39	2	[ ]	A 6* SLATE-COLORED SEEDEATER	49	5
[ ]	C 3n WOOD THRUSH	39	4	[ ]	A 1 VARIABLE SEEDEATER	49	3
[ ]	A 1 CLAY-COLORED THRUSH	39	8	[ ]	T 3 WHITE-COLLARED SEEDEATER	49	2
[ ]	C 3 LONG-BILLED GNATWREN	32	15	[ ]	W 4 YELLOW-FACED GRASSQUIT	49	6
[ ]	N 4 WHITE-LORED GNATCATCHER	41	1	[ ]	C 2 ORANGE-BILLED SPARROW	48	17
[ ]	A 2 TROPICAL GNATCATCHER	41	2	[ ]	N 4 OLIVE SPARROW	50	15
[ ]	T 3 WHITE-THROATED MAGPIE-JAY	39	18	[ ]	A 4 BLACK-STRIPED SPARROW	50	14
[ ]	W 2 BROWN JAY	39	19	[ ]	T 3 STRIPE-HEADED SPARROW	50	7
[ ]	T 3 MANGROVE VIREO	40	11	[ ]	A 1 BUFF-THROATED SALTATOR	48	2
[ ]	A 2n YELLOW-THROATED VIREO	40	6	[ ]	W 3n ROSE-BREASTED GROSBEAK	48	8
[ ]	A 3n PHILADELPHIA VIREO	40	15	[ ]	C 2h BLUE-BLACK GROSBEAK	48	10
[ ]	A 3t RED-EYED VIREO	40	3	[ ]	T 3 BLUE GROSBEAK	48	11
[ ]	A 3s YELLOW-GREEN VIREO	40	5	[ ]	A 3n INDIGO BUNTING	48	12
[ ]	T 3h SCRUB GREENLET	40	8	[ ]	A 3n PAINTED BUNTING	48	13
[ ]	C 3h TAWNY-CROWNED GREENLET	32	4	[ ]	T 6n* DICKCISSEL	50	19
[ ]	A 1 LESSER GREENLET	40	7	[ ]	T 2 RED-WINGED BLACKBIRD	44	14
[ ]	C 4h GREEN SHRIKE-VIREO	40	1	[ ]	T 3 EASTERN MEADOWLARK	50	16
[ ]	T 3h RUFOUS-BROWED PEPPERSHRIKE	40	2	[ ]	T 2 MELODIOUS BLACKBIRD	52	6
[ ]	A 5n GOLDEN-WINGED WARBLER	41	5	[ ]	A 1 GREAT-TAILED GRACKLE	44	16
[ ]	A 1n TENNESSEE WARBLER	40	22	[ ]	T 3 BRONZED COWBIRD	44	15
[ ]	T 6n NORTHERN PARULA	41	4	[ ]	N 4 STREAK-BACKED ORIOLE	44	2
[ ]	C 3 TROPICAL PARULA	41	3	[ ]	A 1n BALTIMORE ORIOLE	44	7
[ ]	A 1n YELLOW WARBLER	42	2	[ ]	A 3n ORCHARD ORIOLE	44	6
[ ]	T 2 "MANGROVE WARBLER"	42	3	[ ]	T 6 YELLOW-BILLED CACIQUE	44	12
[ ]	A 1n CHESTNUT-SIDED WARBLER	43	4	[ ]	W 4 MONTEZUMA OROPENDOLA	44	8
[ ]	C 6n MAGNOLIA WARBLER	43	10	[ ]	N 2 HOUSE SPARROW	50	17
[ ]	T 6n YELLOW-RUMPED WARBLER	43	11				
[ ]	W 5n BLACKBURNIAN WARBLER	41	8				
[ ]	A 2n BLACK-AND-WHITE WARBLER	41	13				
[ ]	A 2n AMERICAN REDSTART	41	10				
[ ]	T 2n PROTHONOTARY WARBLER	42	1				
[ ]	A 4n WORM-EATING WARBLER	40	21				
[ ]	A 4n OVENBIRD	43	12				
[ ]	A 1n NORTHERN WATERTHRUSH	43	14				
[ ]	C 6n LOUISIANA WATERTHRUSH	43	13				
[ ]	C 4n KENTUCKY WARBLER	42	15				
[ ]	C 5n MOURNING WARBLER	42	14				
[ ]	T 3 GRAY-CROWNED YELLOWTHROAT	42	13				
[ ]	C 4n HOODED WARBLER	42	5				
[ ]	W 6n WILSON'S WARBLER	42	4				
[ ]	C 4t CANADA WARBLER	42	8				
[ ]	W 3 RUFOUS-CAPPED WARBLER	40	16				
[ ]	C 3 BUFF-RUMPED WARBLER	40	23				
[ ]	T 6n* YELLOW-BREASTED CHAT	42	9				
[ ]	C 3 GRAY-HEADED TANAGER	45	17				
[ ]	C 2 WHITE-SHOULDERED TANAGER	46	18				
[ ]	W 4 RED-CROWNED ANT-TANAGER	47	10				
[ ]	A 4t SCARLET TANAGER	47	8				
[ ]	A 1n SUMMER TANAGER	47	5				
[ ]	W 3n WESTERN TANAGER	47	2				
[ ]	A 3 CHERRIE'S TANAGER	47	4b				
[ ]	A 1 BLUE-GRAY TANAGER	46	15				
[ ]	A 2 PALM TANAGER	45	19				
[ ]	A 2 SCRUB EUPHONIA	45	4				
[ ]	C 3 YELLOW-CROWNED EUPHONIA	45	1				
[ ]	A 3 YELLOW-THROATED EUPHONIA	45	5				
[ ]	C 3 SPOT-CROWNED EUPHONIA	45	2				
[ ]	C 2 BAY-HEADED TANAGER	46	9				
[ ]	A 2 GOLDEN-HOODED TANAGER	46	13				
[ ]	C 4 BLUE DACNIS	46	3				

TOTAL SPECIES : 418

Last updated : June 2005,  
By Kevin Easley, Steven Easley, and Frederic VanHove

We would like to thank those who helped compile this list, especially Matt Denton, Jay Vandergaast, and Tony Nunnery. We welcome new information on species not included in this list or about species with abundance codes 5 or 6. Please send details to Kevin Easley: [ticokid@racsa.co.cr](mailto:ticokid@racsa.co.cr)